

DETA

THE ELECTRICAL PRODUCTS COMPANY

PRODUCT CATALOGUE



INNOVATION NOW IN THE INDUSTRY

DETA Wiring Accessories are now in Australia and New Zealand, offering an extensive range at competitive prices.

The DETA brand is an established international brand that represents a broad range of innovative and versatile wiring accessory products, offering product solutions for the electrical market.



DETA is proud to be part of the Australian and New Zealand industries offering quality products at competitive prices and backed by trade expertise and friendly customer service.

The DETA brand is continuously being developed with new products designed to meet the ever changing market demand in accordance with local and international market trends.

The DETA range of wiring accessories is competitively priced and provides a broad range of ultra-modern, elegantly styled products suitable for both domestic and commercial environments, all designed with ease of use in mind.

Products in the wiring accessory category are subject to stringent product designs and standards. Designing and maintaining high quality and compliant products is of paramount importance to DETA and requires significant expertise and experience.

DETA products meet all requirements of the Australian and New Zealand electrical safety standards and approvals. All manufacturing is carried out in a strict quality controlled environment.

The company's considerable investment program extends beyond product development in achieving our main objective of real customer satisfaction.

Part of DETA's innovation is demonstrated by continually developing, monitoring and delivering customer service programs to help us understand our customer's demands and needs.

CONTENTS TABLE

	Deta Company Information
Page 4-6	Switches & Power Outlets (X6 Series)
Page 7	Switches & Power Outlets (S-LINE Series)
Page 8-9	Stainless Steel Switches & Power Outlets (S-LINE Series)
Page 10-11	Switches (6000 Series)
Page 12	Switch Mechanism & USB Charger Range (6000 Series)
Page 13-14	Power Outlets (6000 Series)
Page 15	Standard Weatherproof Range (6000 Series)
Page 16	Elements Weatherproof Range (6000 Series)
Page 17	Lighting Accessories (6000 Series)
Page 18-20	Mounting Accessories (6000 Series)
Page 21	Plugs & Sockets (6000 Series)
Page 22-23	Audio Visual (6000 Series)
Page 24-25	Switchboard & Circuit Protection (6000 Series)
Page 26	Switches & Power Outlets (3000 Series)
Page 27-31	Conduit
Page 32	Extension Leads
Page 33	Exhaust Fans
Page 34-39	Lighting

SWITCHES

CLIP-ON SURROUND



SINGLE SWITCH HORIZONTAL

6151B

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331831 NZ 4331831



SINGLE SWITCH HORIZONTAL TRADE PACK OF 10

6151BT

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331866 NZ N/A



SINGLE SWITCH HORIZONTAL MEGA PACK OF 25

6151BM

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331897 NZ N/A



SINGLE SWITCH VERTICAL

6151VB

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331838 NZ 327610



DOUBLE SWITCH HORIZONTAL

6152B

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331832 NZ 4331832



DOUBLE SWITCH HORIZONTAL TRADE PACK OF 10

6152BT

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331867 NZ N/A



DOUBLE SWITCH HORIZONTAL MEGA PACK OF 25

6152BM

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331898 NZ N/A



DOUBLE SWITCH VERTICAL

6152VB

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331839 NZ 327613



TRIPLE SWITCH HORIZONTAL

6153B

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331833 NZ 4331833



TRIPLE SWITCH VERTICAL

6153VB

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331840 NZ 327616



QUAD SWITCH HORIZONTAL

6154B

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331834 NZ 4331834



QUAD SWITCH VERTICAL

6154VB

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331841 NZ 327619



FIVE SWITCH HORIZONTAL

6155B

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331836 NZ 4331836



FIVE SWITCH VERTICAL

6155VB

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331842 NZ 4331842



SIX SWITCH HORIZONTAL

6156B

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331837 NZ 4331837

SWITCHES

CLIP-ON SURROUND



SIX SWITCH VERTICAL

6156VB

 Switch rating 250V, 16A/16AX
 With loop terminal

AUS 4331844 NZ 4331844



ONE GANG GRID PLATE

6151PB

 1 Gang wall mounting plate
 with clip on cover

AUS 4331845 NZ 4331845



TWO GANG GRID PLATE

6152PB

 2 Gang wall mounting plate
 with clip on cover

AUS 4331846 NZ 4331846



THREE GANG GRID PLATE

6153PB

 3 Gang wall mounting plate
 with clip on cover

AUS 4331847 NZ 4331847



FOUR GANG GRID PLATE

6154PB

 4 Gang wall mounting plate
 with clip on cover

AUS 4331848 NZ 4331848



FIVE GANG GRID PLATE

6155PB

 5 Gang wall mounting plate
 with clip on cover

AUS 4331849 NZ 4331849




SIX GANG GRID PLATE

6156PB

 6 Gang wall mounting plate
 with clip on cover

AUS 4331850 NZ 4331850



BLANK WALL PLATE

6159B

 Universal blank mounting plate
 with clip on cover
 Standard mounting hole centres

AUS 4430746 NZ 4430746



BLANK WALL PLATE TRADE PACK OF 10

6159BT

 Universal blank mounting plate
 with clip on cover
 Standard mounting hole centres

AUS 4430752 NZ N/A



UNIVERSAL 150W ELECTRONIC DIMMER

6160B

 Switch rating 250V, 16A/16AX
 Universal LED dimmer rated at 150W

AUS 4331861 NZ 4331861



FAN SPEED CONTROLLER

6142B

 Three speed capacitor type control
 With additional 250V 16A/16AX
 switch mechanism

AUS TBA NZ TBA



DUAL 3.4A USB CHARGER

6592B

 Charges a tablet and smart phone
 at the same time
 3.4A, 5VDC dual USB

AUS 4430747 NZ 4430747



QUAD 6.2A USB CHARGER

6594B

 Charges two tablets and two smart
 phones at the same time
 2 x 3.1A, 5VDC quad USB charger

AUS 4430748 NZ 4430748



DOUBLE POWER POINT WITH DUAL USB CHARGER

6259B

 Switch & socket rated 250V, 10A
 With 3.4A, 5VDC dual USB

AUS 4331860 NZ 4331860

POWER OUTLETS

CLIP-ON SURROUND



SINGLE POWER POINT

6251B

Switch & socket rating 250V, 10A

AUS 4331852 NZ 4331852



NEW



DOUBLE POWER POINT WITH EXTRA SWITCH

6254B

Switch & sockets rating 250V, 10A
With extra switch rated at 16A/16AX

AUS 4331857 NZ 4331857



NEW



SINGLE POWER POINT TRADE PACK OF 10

6251BT

Switch & socket rating 250V, 10A

AUS 4331868 NZ N/A



NEW



DOUBLE POWER POINT WITH EXTRA SWITCH TRADE PACK OF 5

6254BT

Switch & sockets rating 250V, 10A
With extra switch rated at 16A/16AX

AUS 4331871 NZ N/A



NEW



SINGLE POWER POINT MEGA PACK OF 25

6251BM

Switch & socket rated 250V, 10A

AUS 4331899 NZ N/A



NEW



SINGLE POWER POINT VERTICAL

6255B

Switch & socket rating 250V, 10A

AUS 4331854 NZ 327622



NEW



DOUBLE POWER POINT

6252B

Switch & sockets rating 250V, 10A

AUS 4331856 NZ 4331856



NEW



DOUBLE POWER POINT VERTICAL

6256B

Switch & sockets rating 250V, 10A

AUS 4331858 NZ 327625



NEW



DOUBLE POWER POINT TRADE PACK OF 10

6252BT

Switch & sockets rating 250V, 10A

AUS 4331870 NZ N/A



NEW



SINGLE POWER POINT 15A

6257B

Switch & socket rating 250V, 15A

AUS 4331855 NZ 4331855



NEW



DOUBLE POWER POINT MEGA PACK OF 25

6252BM

Switch & sockets rated 250V, 10A

AUS 4331900 NZ N/A



NEW



DOUBLE POWER POINT 15A

6258B

Switch & sockets rating 250V, 15A

AUS 4331859 NZ 4331859



NEW



SINGLE POWER POINT WITH EXTRA SWITCH


6253B

Switch & socket rating 250V, 10A
With extra switch rated at 16A/16AX

AUS 4331853 NZ 4331853



NEW



ALUMINIUM COVER FOR 6252B/6258B X6 SERIES

6270B

Aluminium clip on cover for 6252B/6258B

AUS 4430749 NZ 4430749























NEW

SWITCHES & POWER OUTLETS

CLIP-ON SURROUND



	S-LINE SINGLE SWITCH HORIZONTAL 6161B  Switch rating 250V, 16A/16AX With loop terminal Ultra Low Profile 4.3mm AUS 4430560 NZ 4430560		S-LINE DOUBLE POWER POINT 6262B  Switch & sockets rating 250V, 10A Ultra Low Profile 4.3mm AUS 4430563 NZ 310769
	S-LINE SINGLE SWITCH VERTICAL 6161VB  Switch rating 250V, 16A/16AX With loop terminal Ultra Low Profile 4.3mm AUS N/A NZ 310760		S-LINE QUAD POWER POINT 6264B  Switch & sockets rating 250V, 10A Ultra Low Profile 4.3mm AUS 4331087 NZ 4331087
	S-LINE DOUBLE SWITCH HORIZONTAL 6162B  Switch rating 250V, 16A/16AX With loop terminal Ultra Low Profile 4.3mm AUS 4430561 NZ 4430561		S-LINE UNIVERSAL 150W ELECTRONIC DIMMER 6168B  Universal LED dimmer. Suitable for most dimmable LED products AUS 4430751 NZ N/A
	S-LINE DOUBLE SWITCH VERTICAL 6162VB  Switch rating 250V, 16A/16AX With loop terminal Ultra Low Profile 4.3mm AUS N/A NZ 310763		
	S-LINE TRIPLE SWITCH HORIZONTAL 6163B  Switch rating 250V, 16A/16AX With loop terminal Ultra Low Profile 4.3mm AUS 4330983 NZ 4330983		
	S-LINE QUAD SWITCH HORIZONTAL 6164B  Switch rating 250V, 16A/16AX With loop terminal Ultra Low Profile 4.3mm AUS 4330984 NZ 4330984		
	S-LINE SINGLE POWER POINT 6261B  Switch & socket rating 250V, 10A Ultra Low Profile 4.3mm AUS 4430562 NZ 310766		

STAINLESS STEEL SWITCHES & POWER OUTLETS

304 GRADE
 STAINLESS STEEL
 CLIP-ON COVER PLATE



S-LINE SINGLE WHITE SWITCH HORIZONTAL

6371B

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm
 AUS 4430583 NZ N/A



S-LINE SINGLE WHITE SWITCH VERTICAL

6371VB

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm
 AUS N/A NZ 254564



S-LINE DOUBLE WHITE SWITCH HORIZONTAL

6372B

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm
 AUS 4430584 NZ N/A



S-LINE DOUBLE WHITE SWITCH VERTICAL

6372VB

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm
 AUS N/A NZ 254567



S-LINE TRIPLE WHITE SWITCH HORIZONTAL

6373B

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm
 AUS 4331201 NZ 287560



S-LINE QUAD WHITE SWITCH HORIZONTAL

6374B

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm
 AUS 4331203 NZ 287557



S-LINE SINGLE WHITE POWER POINT

6381B

Switch & socket rating 250V, 10A
 With loop terminal
 Ultra Low Profile 4.5mm
 AUS 4430585 NZ 254570



S-LINE DOUBLE WHITE POWER POINT

6382B

Switch & sockets rating 250V, 10A
 Ultra Low Profile 4.5mm



AUS 4430586 NZ 254573



S-LINE FOUR WHITE POWER POINT

6384B

Switch & sockets rating 250V, 10A
 Ultra Low Profile 4.5mm



AUS 4430658 NZ 279373

STAINLESS STEEL SWITCHES & POWER OUTLETS

304 GRADE
 STAINLESS STEEL
 CLIP-ON COVER PLATE



S-LINE SINGLE BLACK SWITCH HORIZONTAL

6371BK

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm

AUS 4430638 NZ N/A



S-LINE SINGLE BLACK SWITCH VERTICAL

6371VBK

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm

AUS N/A NZ 287552



S-LINE DOUBLE BLACK SWITCH HORIZONTAL

6372BK

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm

AUS 4430639 NZ N/A



S-LINE DOUBLE BLACK SWITCH VERTICAL

6372VBK

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm

AUS N/A NZ 287546



S-LINE TRIPLE BLACK SWITCH HORIZONTAL

6373BK

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm

AUS 4331202 NZ 287543



S-LINE QUAD BLACK SWITCH HORIZONTAL

6374BK

Switch rating 250V, 16A/16AX
 With loop terminal
 Ultra Low Profile 4.5mm

AUS 4331204 NZ 287549



S-LINE SINGLE BLACK POWER POINT

6381BK

Switch & socket rating 250V, 10A
 With loop terminal
 Ultra Low Profile 4.5mm

AUS 4430640 NZ 279368



S-LINE DOUBLE BLACK POWER POINT

6382BK

Switch & sockets rating 250V, 10A
 With loop terminal
 Ultra Low Profile 4.5mm

AUS 4430641 NZ 279380



SWITCHES

CLIP-ON SURROUND

**SINGLE SWITCH
HORIZONTAL****6101B**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4430445 NZ 4430445

**SINGLE SWITCH HORIZONTAL
TRADE PACK OF 10****6101BT**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4430451 NZ 4430451

**SINGLE SWITCH
HORIZONTAL
MEGA PACK OF 25****6101BM**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331288 NZ N/A

**SINGLE SWITCH
VERTICAL****6101VB**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4330979 NZ 310447

**SINGLE SWITCH
VERTICAL
MEGA PACK OF 25****6101VBM**Switch rating 250V, 16A/16AX
With loop terminal

AUS N/A NZ 298419

**DOUBLE SWITCH
HORIZONTAL****6102B**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4430446 NZ 4430446

**DOUBLE SWITCH HORIZONTAL
TRADE PACK OF 10****6102BT**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4430452 NZ 4430452

**DOUBLE SWITCH
VERTICAL****6102VB**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4330980 NZ 310364

**TRIPLE SWITCH
HORIZONTAL****6103B**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4430447 NZ N/A

**TRIPLE SWITCH
VERTICAL****6103VB**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4330981 NZ 310441

**QUAD SWITCH
HORIZONTAL****6104B**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4430448 NZ 313162

**QUAD SWITCH
VERTICAL****6104VB**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4330982 NZ 310625

**FIVE SWITCH
HORIZONTAL****6105B**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331862 NZ 4331862

**SIX SWITCH
HORIZONTAL****6106B**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331863 NZ 4331863

**SINGLE SWITCH
ARCHITRAVE PLATE****6111B**Switch rating 250V, 16A/16AX
With loop terminal

AUS 4330440 NZ 310569


**SINGLE SWITCH
ARCHITRAVE PLATE - BLACK**
6181B

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4430550 NZ 310572


**DOUBLE SWITCH
ARCHITRAVE PLATE**
6112B


Switch rating 250V, 16A/16AX
With loop terminal

AUS 4430442 NZ 310575


**LIGHT DIMMER
400VA VERTICAL**
6123B

Switch rating 250V, 16A/16AX
With loop terminal
Leading edge type

AUS N/A NZ 310467


**UNIVERSAL 150W
ELECTRONIC DIMMER MODULE**
6030B

Universal LED dimmer. Suitable for most dimmable LED products. 250V rated. 4W min, 150W max load. Fits X6, S-Line & 6000 Series plates.

AUS 4331491 NZ 322388


**UNIVERSAL 150W ELECTRONIC
DIMMER HORIZONTAL**
6130B

Switch rating 250V, 16A/16AX.
Universal LED dimmer. 240V rated. 4W min, 150W max load.

AUS 4331492 NZ 322391


**UNIVERSAL 150W ELECTRONIC
DIMMER VERTICAL**
6130VB

Switch rating 250V, 16A/16AX.
Universal LED dimmer. 240V rated. 4W min, 150W max load.

AUS TBA NZ TBA


**FAN SPEED CONTROLLER
VERTICAL**
6141B

Three speed capacitor type control
With additional 250V 16A/16AX
switch mechanism

AUS 4430391 NZ 310628


**APPLIANCE
SWITCH**
6145B

Switch rating 250V, 45A
Single pole

AUS 4430642 NZ 254492


**LIGHT DIMMER
400VA HORIZONTAL**
6121B

Switch rating 250V, 16A/16AX
With loop terminal
Leading edge type

AUS 4430392 NZ N/A


**FAN SPEED CONTROLLER
TRADE PACK OF 5**
6141BT

Three speed capacitor type control
With additional 250V 16/16AX
Switch mechanism

AUS 4331880 NZ N/A


**SWITCHED FIXED
CABLE OUTLET**
6129B

Switch rating 250V, 16A/16AX
With clamp and bushing
for flexible cord

AUS N/A NZ 310367


**CORDLINE
SWITCH**
6324B

Double pole switch with screw
terminals and earth feed through
250V, 10A rated

AUS 4430444 NZ 310455



SWITCH MECHANISM 16AX

6014B



Extra large & deep wiring terminals with additional 'kicker' action to eliminate contact welding. Rated 250V, 16A/16AX. Fits X6, S-Line & 6000 Series plates.
AUS 4430711 NZ 4430711



DOUBLE POLE SWITCH MECHANISM 10AX

6022B



Double pole snap-in mount rocker switch. Rated 250V, 10A/10AX. Fits X6, S-Line & 6000 Series plates.
AUS 4331830 NZ 4331830



INTERMEDIATE SWITCH MECHANISM 10AX

6024B



Intermediate snap-in mount rocker switch. Rated 250V, 10A/10AX. Fits X6, S-Line & 6000 Series plates.
AUS 4331829 NZ 4331829

USB CHARGER RANGE

CLIP-ON SURROUND



DUAL 3.4AMP USB CHARGER

6582B



Charges tablet and smart phone at the same time. 250V input, 3.4A 5VDC max output.
AUS 4331428 NZ 314649



SINGLE POWER POINT WITH DUAL 3A USB CHARGER

6213B



Switch & socket rated 250V, 10A. With Twin USB charge outlets 3A max. Suited for charging mobile phones, iPod, etc
AUS 4331192 NZ 281388



QUAD 6.2AMP USB CHARGER

6584B



Charges two tablet and two smart phone at the same time. 250V input, 6.2A 5VDC max output.
AUS 4331434 NZ 314646



DOUBLE POWER POINT WITH DUAL 3.4A USB CHARGER

6220B



Switch & sockets rated 250V, 10A. With Twin USB charge outlets. Suited for charging mobile phones, iPod, etc. 3.4A 5VDC max output.
AUS 4331325 NZ 314652

POWER OUTLETS

CLIP-ON SURROUND



SINGLE POWER POINT

6201B


Switch & socket rated 250V, 10A

AUS 4430427 NZ 316376



SINGLE POWER POINT TRADE PACK OF 10

6201BT


Switch & socket rated 250V, 10A

AUS 4430431 NZ 310589



SINGLE POWER POINT VERTICAL

6205B


Switch & socket rated 250V, 10A

AUS N/A NZ 310435



SINGLE POWER POINT VERTICAL TRADE PACK OF 10

6205BT


Switch & socket rated 250V, 10A

AUS N/A NZ 313144



SINGLE POWER POINT WITH EXTRA SWITCH

6203B

 Socket rated 250V, 10A
Switch rated 250V 16A/16AX

AUS 4430430 NZ 310601



SINGLE POWER POINT 15A

6215B


Switch & socket rated 250V, 15A

AUS 4430421 NZ 310616



SINGLE POWER POINT NARROW

6328B

 Switch & socket rated 250V, 10A
48mm x 98mm plate size

AUS 4430426 NZ 310752



PLUG BASE WITH REAR COVER

6210B

 Unswitched socket rated 250V, 10A
With clear rear cover

AUS 4430697 NZ 4430697



PLUG BASE WITH REAR COVER TRADE PACK OF 10

6210BT

 Unswitched socket rated 250V, 10A
With clear rear cover

AUS 4430698 NZ N/A



MINIATURE PLUG BASE

6209B

 Unswitched socket rated 250V, 10A
With clear rear cover
Suits 70mm downlight cutout

AUS 4430736 NZ 4430736



MINIATURE PLUG BASE TRADE PACK OF 10

6209BT

 Unswitched socket rated 250V, 10A
With clear rear cover. Suits 70mm
downlight cutout. Pack of 10

AUS 4331887 NZ N/A



DOUBLE POWER POINT

6202B


Switch & sockets rated 250V, 10A

AUS 4430414 NZ 310432



DOUBLE POWER POINT TRADE PACK OF 10

6202BT


Switch & sockets rated 250V, 10A

AUS 4430432 NZ 310592



DOUBLE POWER POINT MEGA PACK OF 25

6202BM


Switch & socket rated 250V, 10A

AUS 4331290 NZ N/A



DOUBLE POWER POINT BLACK

6272B


Switch & sockets rated 250V, 10A

AUS 4430549 NZ 310595

POWER OUTLETS

CLIP-ON SURROUND



DOUBLE POWER POINT SILVER

6282B


Switch & sockets rated 250V, 10A

AUS 4430551 NZ 310598



DOUBLE POWER POINT VERTICAL

6206B


Switch & sockets rated 250V, 10A

AUS 4331570 NZ 310476



DOUBLE POWER POINT VERTICAL TRADE PACK OF 10

6206BT


Switch & sockets rated 250V, 10A

AUS N/A NZ 313147



DOUBLE POWER POINT VERTICAL MEGA PACK OF 25

6206BM


Switch & sockets rated 250V, 10A

AUS N/A NZ 298422



DOUBLE POWER POINT WITH EXTRA SWITCH

6204B

 Switch & sockets rated 250V, 10A
With additional switch mechanism
Rated 250V, 16A/16AX

AUS 4430415 NZ 310604



DOUBLE POWER POINT WITH EXTRA SWITCH TRADE PACK OF 5

6204BT

 Switch & sockets rated 250V, 10A
With extra switch mechanism

AUS 4331886 NZ N/A



WIDE SPACED DOUBLE POWER POINT

6212B

 For side by side placement of
plug-in adaptors 250V 10A rated
c/w mounting clip

AUS 4430419 NZ 310613



WIDE SPACED DOUBLE POWER POINT TRADE PACK OF 5

6212BT

 For side by side placement of
plug-in adaptors 250V 10A rated

AUS 4331883 NZ N/A



DOUBLE POWER POINT WITH LED NIGHT LIGHT

6208B

 Switch & sockets rated 250V, 10A
With 0.2W LED Night Light

AUS 4430416 NZ 310607



DOUBLE POWER POINT 15A

6216B


Switch & sockets rated 250V, 15A

AUS 4430422 NZ N/A



FOUR OUTLET POWER POINT

6214B

 Switch & sockets rated 250V, 10A
Clip-on front surround fits over
standard wall plate mountings

AUS 4430420 NZ 310450



4 OUTLET POWER POINT TRADE PACK OF 5

6214BT


Switch & sockets rated 250V, 10A

AUS 4331876 NZ N/A



FOUR OUTLET POWER POINT SILVER

6224B

 Switch & sockets rated 250V, 10A
Clip-on front surround fits over
standard wall plate mountings

AUS 4430423 NZ 310619



FIVE OUTLET POWER POINT

6225B

 Switch & sockets rated 250V, 10A
Clip-on front surround fits over
standard wall plate mountings

AUS 4430424 NZ 310622



MASTER SLAVE 5 OUTLET POWER POINT

6226B

 Switch & sockets rated 250V, 10A
Clip-on front surround fits over
standard wall plate mountings

AUS 4430737 NZ N/A

STANDARD WEATHERPROOF RANGE

CLIP-ON SURROUND



WEATHERPROOF SINGLE SWITCH

6193B


Switch rating 250V, 20A/16AX
With loop terminal - IP66 rated
c/w 3 x 20 & 25mmØ cable entry

AUS 4430626 NZ N/A



WEATHERPROOF DOUBLE SWITCH

6194B


Switch rating 250V, 20A/16AX. With
loop terminal - IP66 rated. c/w 3 x
20 & 25mmØ cable entry to base

AUS 4430627 NZ N/A



WEATHERPROOF ISOLATOR 20A

6092B


250V rated with locking provision
IP66 rated. Single pole.
c/w 4 x 25mmØ cable entry to base

AUS 4430665 NZ N/A



WEATHERPROOF ISOLATOR 40A

6094B


250V rated with locking provision
IP66 rated. Single pole.
c/w 4 x 25mmØ cable entry to base

AUS 4430643 NZ 287364



WEATHERPROOF SINGLE POWER OUTLET

6290B


Switch & socket rated 250V, 10A
IP23 rated, c/w top & rear cable
entry to base

AUS 4430434 NZ 310382



WEATHERPROOF SINGLE POWER OUTLET

6293B


Switch & socket rated 250V, 10A
IP54 rated, c/w 3 x 20 & 25mmØ
cable entry to base

AUS 4330976 NZ 254581



WEATHERPROOF SINGLE POWER OUTLET TRADE PACK OF 4

6293BT


Switch & socket rated 250V, 10A
IP54 rated, c/w 3 x 20 & 25mmØ

AUS 4331884 NZ N/A



WEATHERPROOF DOUBLE POWER OUTLET

6294B


Switch & sockets rated 250V, 10A
IP54 rated, c/w 5 x 25mmØ cable
entry to base

AUS 4330977 NZ 254578



WEATHERPROOF DOUBLE POWER OUTLET TRADE PACK OF 4

6294BT


Switch & socket rated 250V, 10A
IP54 rated, c/w 3 x 20 & 25mmØ

AUS 4331878 NZ N/A



WEATHERPROOF DOUBLE POWER OUTLET WITH EXTRA SWITCH

6295B


Switch & sockets rated 250V, 10A
IP54 rated, c/w 5 x 25mmØ cable
entry to base

AUS 4220522 NZ 287367




WEATHERPROOF SINGLE POWER OUTLET 15A

6296B


Switch & socket rated 250V, 15A
IP54 rated, c/w 3 x 20 & 25mmØ
cable entry to base

AUS N/A NZ N/A



FLUSH MOUNT BOX FOR 6294B & 6295B

6299B


14mm depth mounting bracket
Includes 84mm mounting hole to
suit standard mounting bracket

AUS 4220597 NZ 310575

ELEMENTS WEATHERPROOF RANGE



SINGLE POWER OUTLET

6893B


Switch & socket rated 250V, 10A
IP54 rated, c/w 3 x 20 & 25mmØ
cable entry to base

AUS 4331293 NZ 4331293



DOUBLE POWER OUTLET

6894B


Switch & sockets rated 250V, 10A
IP54 rated, c/w 3 x 20 & 25mmØ

AUS 4331292 NZ 4331292



DOUBLE POWER OUTLET WITH EXTRA SWITCH

6895B


Switch & sockets rated 250V, 10A
IP54 rated, c/w 5 x 25mmØ cable
entry to base

AUS 4331470 NZ 322375



15AMP SINGLE POWER OUTLET

6896B


Switch & socket rated 250V, 15A
IP54 rated, c/w 3 x 20 & 25mmØ
cable entry to base

AUS 4331471 NZ 322378



WEATHERPROOF ISOLATOR 20A

6882B


250V, 20A rated with locking
provision. IP66 rated. Single pole.
C/W 4 x 25mmØ cable entry to base

AUS 4430723 NZ N/A



WEATHERPROOF ISOLATOR 40A

6884B


250V, 40A rated with locking
provision. IP66 rated. Single pole.
C/W 4 x 25mmØ cable entry to base

AUS 4430724 NZ N/A

DETA
ELEMENTS

THE DIFFERENCE IS ON THE INSIDE

The DETA Elements Series introduces Rhodium Plating for high performance electrical contacts to ensure reliable power transfer in high corrosion conditions.

Rhodium is commonly used in aerospace and medical applications where reliability and consistent performance in harsh environments is an essential requirement.



THE ADVANTAGES OF RHODIUM PROTECTION

High Performance

Rhodium provides the best possible contact surface for maximum power transfer due to its extremely low resistance to the flow of electricity.


Resistance

Rhodium will not tarnish, oxidise or corrode ensuring a stable and reliable surface for electrical connection.

Hard Wearing

Rhodium is a very hard, dense and chemically inert metal. It is unaffected by moisture or oxygen.

Rhodium plated for high performance



LIGHTING ACCESSORIES




BATTEN LAMPHOLDER

6401B



Tough polycarbonate base
Standard B22 size bayonet type
250V, 3A rated

AUS 4430372 NZ 310370



PUSH BAR SWITCH LAMPHOLDER

6317B



Bayonet B22 lampholder 250V, 2A
rated body incorporates push-bar
double pole switch

AUS 4430399 NZ 310470



BATTEN LAMPHOLDER TRADE PACK OF 10

6401BT



Tough polycarbonate base
Standard B22 size bayonet type
250V, 3A rated

AUS 4430373 NZ 310804



ROCKER SWITCH LAMPHOLDER

6318B



Bayonet B22 lampholder 250V, 3A
rated body incorporates rocker
double pole switch

AUS 4430398 NZ N/A



BATTEN LAMPHOLDER

6407B



Tough polyester base
Standard E27 size edison type

AUS 4430709 NZ 310034



SUSPENSION LAMPHOLDER

6319B



Bayonet B22 lampholder
250V, 2A rated body

AUS 4430400 NZ 310417



GU10 LAMPHOLDER

6410B



GU10 type
250V, 2A rated

AUS 4331901 NZ 291166



SUSPENSION LAMP HOLDER TRADE PACK OF 10

6319BT



Bayonet B22 lampholder
250V, 2A rated body

AUS 4331881 NZ N/A



BAYONET ADAPTOR PLUG

6314B



B22 Bayonet adaptor plug,
screw terminal 250V, 3A rated

AUS 4430371 NZ 310408



SUSPENSION KIT

6320B



Adaption kit for suspended
shade lighting

AUS 4430401 NZ 310420



CEILING ROSE

6315B



Screw on cover 500V, 16A rated
Incorporates 4 terminals

AUS 4430384 NZ 310411



LAMPHOLDER SKIRT

6345B



Replacement skirt for B22
lampholders

AUS 4430402 NZ 310423



FESTOON LAMPHOLDER

6316B



Bayonet B22 lampholder for festoon
wiring. For use with 2 core 1.5mm²
cross section flat TPS cable

AUS 4430403 NZ 313167

MOUNTING ACCESSORIES

**MOUNTING BLOCK
FOR ARCHITRAVE SWITCH****6326B**26mm depth mounting block
Fits single switch architrave plate

AUS 4430380 NZ 310783

**SHALLOW
MOUNTING BLOCK****6066B**14mm depth mounting block
Fits standard wall plates

AUS 4430376 NZ 310444

**SHALLOW MOUNTING
BLOCK TRADE PACK OF 5****6066BT**
14mm depth mounting block
Fits standard wall plates

AUS 4430755 NZ N/A

**STANDARD
MOUNTING BLOCK****6065B**34 mm depth mounting block
Fits standard wall plates

AUS 4430375 NZ 310356

**STANDARD MOUNTING
BLOCK TRADE PACK OF 5****6065BT**
34mm depth mounting block
Fits standard wall plates

AUS 4430754 NZ N/A

**MOUNTING BLOCK
WITH CLIP ON COVER****6068B**For surface mounting of wall plates
Fits standard wall plates

AUS 4430379 NZ 310786

**MOUNTING BLOCK
FOR 6212B****6062B**34mm depth mounting block
Suits DETA wide space outlet
powerpoints 6212B

AUS 4430565 NZ 310789

**4 OUTLET
MOUNTING BLOCK****6067B**For surface mounting of 6214B and
6224B four gang outlets

AUS 4430377 NZ 310795

**5 OUTLET
MOUNTING BLOCK****6061B**25mm depth mounting block
Suits DETA 5 outlet powerpoint
6225B

AUS 4430552 NZ 310798

**WALL MOUNTING BOX
WITH ADJUSTABLE LUGS****6057B**Polycarbonate with metal
threaded inserts for wall mounting
applications

AUS 4430374 NZ 310780

**WALL MOUNTING BOX
WITH ADJUSTABLE LUGS
TRADE PACK OF 6****6057BT**Polycarbonate with metal
threaded inserts

AUS 4331874 NZ N/A

**FLUSH
BOX****6058B**Brass thread inserts
Suits standard size wallplates

AUS N/A NZ 313150

**FLUSH BOX
TRADE PACK OF 10****6058BT**Brass thread inserts
Suits standard size wallplates

AUS N/A NZ 254560

**FLUSH BOX
FOR 6212B****6069B**Brass thread inserts
Suits DETA wide space
outlet powerpoint 6212B

AUS N/A NZ 310792

MOUNTING ACCESSORIES



SMALL JUNCTION BOX

6325B

With 3 integral screw terminals to suit up to 3 x 6mm² cable and 2 screws

AUS 4430396 NZ 310473



SMALL JUNCTION BOX TRADE PACK OF 10

6325BT

With 3 integral screw terminals to suit up to 3 x 6mm² cable and 2 screws

AUS 4331882 NZ N/A



JUNCTION BOX

6070B

3 single and 1 double screw insulated connectors included 40A rated connectors to suit up to 3 x 6mm² cable

AUS 4430393 NZ 310361



JUNCTION BOX TRADE PACK OF 10

6070BT

3 single and 1 double screw insulated connectors included 40A rated connectors to suit up to 3 x 6mm² cable

AUS 4430397 NZ 310801



LARGE JUNCTION BOX

6071B

3 single and 1 double screw insulated connectors included 40A rated connectors to suit up to 3 x 6mm² cable

AUS 4430395 NZ 310373




LARGE JUNCTION BOX TRADE PACK OF 5

6071BT

3 single and 1 double screw insulated connectors included 40A rated connectors to suit up to 3x6mm² cable

AUS 4331879 NZ N/A



BLANK WALL PLATE

6109B

Clip on front surround
Universal blank plate
Standard mounting hole centres

AUS 4430455 NZ 313159



BLANK WALL PLATE TRADE PACK OF 10

6109BT

Clip on front surround
Universal blank plate
Standard mounting hole centres

AUS 4430756 NZ N/A




CLIP-ON SURROUND

6007B

Clip on front surround

AUS 4331269 NZ 290027



STUD MOUNT BRACKET

6050B

Strong galvanised steel construction
For wall stud mounting applications

AUS 4430381 NZ 310772




STUD MOUNT BRACKET TRADE PACK OF 25

6050BT

Strong galvanised steel construction
For wall stud mounting applications

AUS 4430753 NZ N/A



PLASTER CLIP BRACKET

6051B

Strong galvanised steel construction
For plaster wall board mounting applications

AUS 4430383 NZ 310775




PLASTER CLIP BRACKET TRADE PACK OF 20

6051BT

Strong galvanised steel construction
For plaster wall board mounting applications

AUS 4430659 NZ 287370



STUD MOUNT BRACKET QUICK FIT


6052B

Strong galvanised steel construction
Includes nails
For wall stud mounting applications

AUS 4430382 NZ N/A



MOUNTING ACCESSORIES



50MM INSTALLATION SCREWS

6048B

 50mm extended length
Pack of 10

AUS N/A NZ 310941



CONNECTORS 40 AMP TERMINALS

6340B

 Insulated 40 Amp single screw
connectors. Pack of 8

AUS 4430390 NZ 310429



CONNECTORS 40 AMP TERMINALS - 100 PIECES

6351B

 40 Amp single screw insulated
connectors
6mm dia terminal

AUS 4331566 NZ N/A



40 AMP DOUBLE SCREW CONNECTORS

6360B

 Insulated 40 Amp double screw
connectors. Pack of 8

AUS 4331326 NZ N/A



40 AMP DOUBLE SCREW CONNECTORS - 50 PIECES

6352B

 40 Amp double screw insulated
connectors
6mm dia terminal

AUS 4331567 NZ N/A



12 WAY TERMINAL STRIP

6085B

 Suits up to 4mm²
Cross section cables
500V, 5A rated

AUS 4331358 NZ N/A



UNIVERSAL PAINT COVER PACK OF 5

6008-5B

 Paint protection cover for 6000 series
and X6 series
Matched with wall-plates

AUS 4331903 NZ N/A



NEW


SWITCH MECH SHROUD

6042B

 Switch mech shroud for
6000 series switches

AUS 4331864 NZ N/A


NEW


POWER POINT SHROUD

6043B

Power point shroud for 6000 series

AUS 4331865 NZ N/A


NEW

PLUGS & SOCKETS

	10A CLEAR PLUG TOP 6331B  Clear - 250V, 10A Suits up to 3 core 0.75 and 1mm ² heavy duty cords AUS 4430408 NZ 310814		10A BLACK EXTENSION SOCKET 6239B  Black - 250V, 10A Suits up to 3 core 0.75 and 1mm ² heavy duty cords AUS N/A NZ 310883
	10A WHITE PLUG TOP 6339B  White - 250V, 10A Suits up to 3 core 0.75 and 1mm ² heavy duty cords AUS 4430411 NZ 310461		10A CLEAR SIDE ENTRY PLUG TOP 6306B  Clear - 250V, 10A Suits up to 3 core 0.75 and 1mm ² ordinary duty cords AUS N/A NZ 316834
	10A GREY PLUG TOP 6336B  Grey - 250V, 10A Suits up to 3 core 0.75 and 1mm ² heavy duty cords AUS 4430413 NZ 4430413		10A WHITE SIDE ENTRY PLUG TOP 6330B  White - 250V, 10A Suits up to 3 core 0.75 and 1mm ² ordinary duty cords AUS 4430407 NZ 310353
	10A BLACK PLUG TOP 6238B  Black - 250V, 10A Suits up to 3 core 0.75 and 1mm ² heavy duty cords AUS N/A NZ 310817		10A GREY SIDE ENTRY PLUG TOP 6332B  Grey - 250V, 10A Suits up to 3 core 0.75 and 1mm ² ordinary duty cords AUS 4430410 NZ 4430410
	10A CLEAR EXTENSION SOCKET 6334B  Clear - 250V, 10A Suits up to 3 core 0.75 and 1mm ² heavy duty cords AUS 4430439 NZ 310458		10A BLACK SIDE ENTRY PLUG TOP 6333B  Black - 250V, 10A Suits up to 3 core 0.75 and 1mm ² ordinary duty cords AUS 4430985 NZ 310820
	10A WHITE EXTENSION SOCKET 6338B  White - 250V, 10A Suits up to 3 core 0.75 and 1mm ² heavy duty cords AUS 4430436 NZ 310376		15A CLEAR PLUG TOP 6342B  Clear - 250V, 15A Suits 3 core 1.5mm ² heavy duty flexible cords AUS 4430412 NZ 310880
	10A GREY EXTENSION SOCKET 6341B  Grey - 250V, 10A Suits up to 3 core 0.75 and 1mm ² heavy duty cords AUS 4430437 NZ 316379		15A CLEAR EXTENSION SOCKET 6343B  Clear - 250V, 15A Suits 3 core 1.5mm ² heavy duty flexible cords AUS 4430438 NZ 310886

AUDIO VISUAL

CLIP-ON SURROUND

**PAL - F TYPE OUTLET
SKIRTING BOARD****6501B**F-connector input termination
For analogue & digital applications

AUS 4360356 NZ 4360356

**F- F TYPE CONNECTOR
SKIRTING BOARD****6503B**F-connector input termination
Recommended for digital applications

AUS 4360357 NZ 4360357

**F- F TYPE CONNECTOR
OUTLET****6521B**F-connector input termination
Recommended for digital applications

AUS 4430536 NZ 310922

**PAL - F TYPE
OUTLET****6511B**F-connector input termination
For analogue & digital applications

AUS 4430537 NZ 310903

**PAL - F TYPE OUTLET
TRADE PACK OF 10****6511BT**F-connector input termination
For analogue & digital applications

AUS 4331875 NZ N/A

**PAL - F TYPE OUTLET
ARCHITRAVE****6512B**F-connector input termination
For analogue & digital applications

AUS 4430538 NZ 310908

**PAL/F-CONNECTOR
OUTLET****6513B**F-connector input termination
For analogue & digital applications

AUS 4430543 NZ 310911

**F- F TYPE CONNECTOR
ARCHITRAVE****6514B**F-connector input termination
Recommended for digital applications

AUS 4430542 NZ 310914

**PAL/FM
OUTLET****6518B**F-connector input termination
PCB filter to split FM signal
from TV frequencies

AUS 4430539 NZ N/A

**CAT 6 ETHERNET
SINGLE OUTLET****6551B**Gigabit applications
Includes punchdown tool

AUS 4430555 NZ 310935

**CAT 6 ETHERNET
DOUBLE OUTLET****6552B**Gigabit applications
Includes punchdown tool

AUS 4430557 NZ 226824

**BRUSH WALL
PLATE****6519B**Suits through wall cable exit and
entry for home entertainment and
audio visual systems

AUS 4430713 NZ 322381

**BRUSH WALL PLATE
TRADE PACK OF 10****6519BT**Suits through wall cable exit and
entry for home entertainment and
audio visual systems

AUS 4430757 NZ N/A

**BULL NOSE BRUSH
WALL PLATE****6527B**Suits through wall cable exit and
entry for home entertainment and
audio visual systems

AUS 4331825 NZ N/A

**RCA GRID PLATE
INSERT - TRIPLE****6533B**RCA socket to RCA socket
Gold plated connections

AUS 4331238 NZ 4331238

AUDIO VISUAL

CLIP-ON SURROUND



F CONNECTOR GRID PLATE INSERT

6520B

F-connector to F- connector connection
Gold plated connections

AUS 4331224 NZ 4331224



PAL GRID PLATE INSERT

6515B

PAL socket to F connector connection
Gold plated connections

AUS 4331226 NZ 4331226



SPEAKER POST GRID PLATE INSERT - PAIR

6531B

Can be used with standard banana plugs or as binding post- approval
Gold plated/colour coded terminals

AUS 4331227 NZ 4331227




HDMI GRID PLATE INSERT

6540B

HDMI female to HDMI female connection. Right angle connector.
Gold plated connections

AUS 4331228 NZ 4331228



CAT 6 ETHERNET GRID PLATE INSERT

6557B

Cat 6 - 8P8C Ethernet socket. Includes 8C to 6C insert for phone line connection. Gold plated contacts

AUS 4331229 NZ 4331229



BLANK GRID PLATE INSERT

6509B

Blank insert to suit Deta grid plates

AUS 4331230 NZ 4331230



ONE GANG GRID PLATE

6001B

1 Gang 6000 Series grid plate
Clip on surround

AUS 4331231 NZ 4331231



TWO GANG GRID PLATE

6002B

2 Gang 6000 Series grid plate
Clip on surround

AUS 4331232 NZ 4331232



THREE GANG GRID PLATE

6003B

3 Gang 6000 Series grid plate
Clip on surround

AUS 4331234 NZ 4331234



FOUR GANG GRID PLATE

6004B

4 Gang 6000 Series grid plate
Clip on surround

AUS 4331235 NZ 4331235



FIVE GANG GRID PLATE

6005B

5 Gang 6000 Series grid plate
Clip on surround

AUS 4331236 NZ 4331236



SIX GANG GRID PLATE

6006B

6 Gang 6000 Series grid plate
Clip on surround

AUS 4331237 NZ 4331237



BT SOCKET OUTLET - 2 WIRE

6563B

BT secondary outlet
Telepermit approved

AUS N/A NZ 281491



RJ45 ETHERNET INLINE COUPLER

6553B

8P8C Ethernet socket
High performance data throughout
Robust and compact design

AUS 4360449 NZ N/A



RJ45 ETHERNET COUPLER GRID PLATE INSERT

6558B

8P8C Ethernet socket
High performance data throughout
Robust and compact design

AUS 4360450 NZ N/A

SWITCHBOARD & CIRCUIT PROTECTION

	ENCLOSURE 1 MODULE 6701B 33mm width Suits one standard size MCB or RCB0 AUS 4331355 NZ N/A
	ENCLOSURE 2 MODULE 6702B 50mm width Suits two standard size MCBs or RCB0s or one RCD AUS 4331354 NZ N/A
	ENCLOSURE 4 MODULE 6704B 88mm width Suits various combination of four MCBs and RCB0s or two RCDs AUS 4331357 NZ N/A
	SWITCHBOARD 8 MODULE 6708B Surface mounted, transparent lid complete with earth and split neutral bars AUS 4330992 NZ 4330992
	SWITCHBOARD 12 MODULE 6712B Surface mounted, transparent lid complete with earth and split neutral bars AUS 4330993 NZ 4330993
	SWITCHBOARD 18 MODULE 6718B Surface mounted, transparent lid complete with earth and split neutral bars AUS 4330995 NZ 254497
	MCB 10 AMP 6660-10B  6kA Short circuit capacity 1 Pole (18mm wide) AUS 4430662 NZ 4430662
	MCB 16 AMP 6660-16B  6kA Short circuit capacity 1 Pole (18mm wide) AUS 4430663 NZ 4430663
	MCB 20 AMP 6660-20B  6kA Short circuit capacity 1 Pole (18mm wide) AUS 4330927 NZ 4330927
	MCB 25 AMP 6660-25B  6kA Short circuit capacity 1 Pole (18mm wide) AUS 4330929 NZ 4330929
	MCB 32 AMP 6660-32B  6kA Short circuit capacity 1 Pole (18mm wide) AUS 4330930 NZ 4330930
	MCB 40 AMP 6660-40B  6kA Short circuit capacity 1 Pole (18mm wide) AUS 4330931 NZ 4330931
	MCB 63 AMP 6660-63B  6kA Short circuit capacity 1 Pole (18mm wide) AUS 4330932 NZ 4330932
	RCBO 10 AMP 6644-10B  4.5kA Short circuit capacity. 30mA Residual tripping current. 1 Pole & Neutral (18mm wide). Type AC AUS 4330893 NZ N/A
	RCBO 16 AMP 6644-16B  4.5kA Short circuit capacity. 30mA Residual tripping current. 1 Pole & Neutral (18mm wide). Type AC AUS 4330894 NZ N/A

SWITCHBOARD & CIRCUIT PROTECTION



RCBO 20 AMP

6644-20B



4.5kA Short circuit capacity. 30mA Residual tripping current. 1 Pole & Neutral (18mm wide). Type AC

AUS 4330895 NZ N/A



RCBO 32 AMP

6644-32B



4.5kA Short circuit capacity. 30mA Residual tripping current. 1 Pole & Neutral (18mm wide). Type AC

AUS 4330896 NZ N/A



RCD 40 AMP

6656-40B



6kA Short circuit capacity. 30mA Residual tripping current. 2 pole (36mm wide). Type AC.

AUS 4330660 NZ N/A



RCD 40 AMP

6657-40B



6kA short circuit capacity. 30mA Residual tripping current. 2 pole (36mm wide). Type A.

AUS N/A NZ 297040



EARTH ROD

6751B

13mm diameter, 1440mm long Copper plated steel rod

AUS 4430624 NZ N/A



EARTH CLAMP & WARNING TAG

6750B

Clamp to suit 13mm earth rod and 4 – 16mm² cable. Tag has engraved letters for permanent readability.

AUS 4430625 NZ N/A



6 AMP PLUG-IN CIRCUIT BREAKER

6606B



1.5 kA circuit breaker replacement of wire fuses in ceramic type fuse holders

AUS N/A NZ 313499



8 AMP PLUG-IN CIRCUIT BREAKER

6608B



1.5 kA circuit breaker replacement of wire fuses in ceramic type fuse holders

AUS 4430385 NZ N/A



10 AMP PLUG-IN CIRCUIT BREAKER

6610B



1.5 kA circuit breaker replacement of wire fuses in ceramic type fuse holders

AUS N/A NZ 313502



16 AMP PLUG-IN CIRCUIT BREAKER

6616B



1.5 kA circuit breaker replacement of wire fuses in ceramic type fuse holders

AUS 4430387 NZ 310894



20 AMP PLUG-IN CIRCUIT BREAKER

6620B



1.5 kA circuit breaker replacement of wire fuses in ceramic type fuse holders

AUS 4430388 NZ 310897



32 AMP PLUG-IN CIRCUIT BREAKER

6632B



1.5 kA circuit breaker replacement of wire fuses in ceramic type fuse holders

AUS 4430389 NZ 310900



3 PIN TEST PLUG

DET240



Instant polarity Test plug for socket outlets 250V rated

AUS 4420488 NZ 322372



AC/DC VOLTAGE TESTER

DET266

AC Voltage Test. 70-250Vac (Contact Mode). 70-10,000Vac (Non-Contact Mode). DC Voltage Test Up to 250Vdc

AUS N/A NZ 270066



AC VOLTAGE TESTER

DET566

Safe Non-contact tester. LED lights and buzzer sounds when voltage is detected. Voltage Range 70-1000VAC

AUS 4420348 NZ N/A

SWITCHES & POWER OUTLETS



SINGLE SWITCH

3101B

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4430449 NZ N/A



SINGLE POWER POINT

3201B

Switch & socket rated 250V, 10A

AUS 4430428 NZ 310757



SINGLE SWITCH TRADE PACK OF 5

3101BT

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4331872 NZ N/A



DOUBLE POWER POINT

3202B

Switch & sockets rated 250V, 10A

AUS 4430429 NZ 4430429



SINGLE SWITCH VERTICAL

3101VB

Switch rating 250V, 16A/16AX
With loop terminal

AUS N/A NZ 310583



DOUBLE POWER POINT TRADE PACK OF 10

3202BT

Switch & sockets rated 250V, 10A

AUS 4331873 NZ N/A



DOUBLE SWITCH

3102B

Switch rating 250V, 16A/16AX
With loop terminal

AUS 4430450 NZ N/A



DOUBLE POWER POINT WITH EXTRA SWITCH

3204B

Switch & sockets rated 250V, 10A
With additional switch mechanism
Rated 250V, 16A/16AX

AUS 4331873 NZ N/A



DOUBLE SWITCH VERTICAL

3102VB

Switch rating 250V, 16A/16AX
With loop terminal

AUS N/A NZ 310856

TRUNKING

	TRUNKING
	2650B Colour: White Size: 25x25mm Length: 4m
AUS 4330854	NZ 4330854
	TRUNKING
	2652B Colour: White Size: 16x16mm Length: 4m
AUS 4330857	NZ 4330857
	TRUNKING
	2653B-2M Colour: White Size: 16x10mm Length: 2m
AUS 4331320	NZ N/A

	TRUNKING
	2651B Colour: White Size: 25x16mm Length: 4m
AUS 4330856	NZ 4330856
	TRUNKING
	2652B-2M Colour: White Size: 16x16mm Length: 2m
AUS 4331319	NZ N/A
	TRUNKING
	2656B Colour: White Size: 50x25mm Length: 4m
AUS 4330853	NZ 4330853

	TRUNKING
	2651B-2M Colour: White Size: 25x16mm Length: 2m
AUS 4331318	NZ N/A
	TRUNKING
	2653B Colour: White Size: 16x10mm Length: 4m
AUS 4330858	NZ 4330858


RIGID CONDUIT

	MEDIUM DUTY
	2600B Colour: Grey Length: 4m Ø20mm
AUS 4330846	NZ 4330846
	MEDIUM DUTY
	2600B-2M Colour: Grey Length: 2m Ø20mm
AUS 4331311	NZ N/A
	HEAVY DUTY
	2610B Colour: Orange Length: 4m Ø20mm
AUS 4330850	NZ 4330850
	HEAVY DUTY
	2610B-2M Colour: Orange Length: 2m Ø20mm
AUS 4331315	NZ N/A

	MEDIUM DUTY
	2601B Colour: Grey Length: 4m Ø25mm
AUS 4330848	NZ 4330848
	MEDIUM DUTY
	2601B-2M Colour: Grey Length: 2m Ø25mm
AUS 4331312	NZ N/A
	HEAVY DUTY
	2611B Colour: Orange Length: 4m Ø25mm
AUS 4330851	NZ 4330851
	HEAVY DUTY
	2611B-2M Colour: Orange Length: 2m Ø25mm
AUS 4331316	NZ N/A


	MEDIUM DUTY
	2602B Colour: Grey Length: 4m Ø32mm
AUS 4330849	NZ 4330849
	MEDIUM DUTY
	2602B-2M Colour: Grey Length: 2m Ø32mm
AUS 4331313	NZ N/A
	HEAVY DUTY
	2612B Colour: Orange Length: 4m Ø32mm
AUS 4330852	NZ 4330852
	HEAVY DUTY
	2612B-2M Colour: Orange Length: 2m Ø32mm
AUS 4331317	NZ N/A

CORRUGATED CONDUIT



MEDIUM DUTY
2620B-10
Colour: Grey
Length: 10m
Ø20mm

AUS 4330837 NZ 4330837




MEDIUM DUTY
2620B-20
Colour: Grey
Length: 20m
Ø20mm

AUS 4330838 NZ 4330838




HEAVY DUTY
2630B-10
Colour: Orange
Length: 10m
With Draw Wire
Ø20mm

AUS 4330843 NZ 4330843



MEDIUM DUTY
2621B-10
Colour: Grey
Length: 10m
Ø25mm

AUS 4330840 NZ 4330840




MEDIUM DUTY
2621B-20
Colour: Grey
Length: 20m
Ø25mm

AUS 4330841 NZ 4330841



HEAVY DUTY
2631B-10
Colour: Orange
Length: 10m
With Draw Wire
Ø25mm

AUS 4330844 NZ 4330844



MEDIUM DUTY
2622B-10
Colour: Grey
Length: 10m
Ø32mm

AUS 4330842 NZ 4330842

BEND



STANDARD
2760B
Colour: Grey
Type: PVC
Angle: 90°
Internal Ø20mm

AUS 4330879 NZ 235112



HEAVY DUTY SWEEP
2755B
Colour: Orange
Type: PVC
Angle: 90°
Internal Ø20mm

AUS 4330794 NZ 235115



STANDARD
2761B
Colour: Grey
Type: PVC
Angle: 90°
Internal Ø25mm

AUS 4330880 NZ 235066



HEAVY DUTY SWEEP
2756B
Colour: Orange
Type: PVC
Angle: 90°
Internal Ø25mm

AUS 4330795 NZ 235069



STANDARD
2762B
Colour: Grey
Type: PVC
Angle: 90°
Internal Ø32mm

AUS 4330791 NZ 237254



HEAVY DUTY SWEEP
2757B
Colour: Orange
Type: PVC
Angle: 90°
Internal Ø32mm

AUS 4330796 NZ 237257

ELBOW



ELBOW
2770B
Colour: Grey
Type: PVC
Ø20mm

AUS 4330792 NZ 235109



INSPECTION ELBOW
2780B
Colour: Grey
Type: PVC
Ø20mm

AUS 4330797 NZ 235122



ELBOW
2770BT
Colour: Grey
Type: PVC
Pack of 20
Ø20mm

AUS 4331182 NZ 285965



INSPECTION ELBOW
2781B
Colour: Grey
Type: PVC
Ø25mm

AUS 4330798 NZ 235074



ELBOW
2771B
Colour: Grey
Type: PVC
Ø25mm


AUS 4330793 NZ 235061



INSPECTION ELBOW
2782B
Colour: Grey
Type: PVC
Ø32mm

AUS 4430799 NZ 237260




JUNCTION BOX

	1 WAY 2800B Colour: Grey Type: PVC Ø20mm
AUS 4330803	NZ 235128
	1 WAY 2801B Colour: Grey Type: PVC Ø25mm
AUS 4330804	NZ 235084
	2 WAY U-TYPE 2815B Colour: Grey Type: PVC Ø20mm
AUS 4330810	NZ 4330810
	2 WAY U-TYPE 2816B Colour: Grey Type: PVC Ø25mm
AUS 4330811	NZ 4330811

	2 WAY THROUGH 2805B Colour: Grey Type: PVC Ø20mm
AUS 4330806	NZ 235133
	2 WAY THROUGH 2806B Colour: Grey Type: PVC Ø25mm
AUS 4330807	NZ 235087
	3 WAY THROUGH 2820B Colour: Grey Type: PVC Ø20mm
AUS 4330812	NZ 235136
	3 WAY THROUGH 2821B Colour: Grey Type: PVC Ø25mm
AUS 4330814	NZ 235090

	2 WAY ANGLED 2810B Colour: Grey Type: PVC Ø20mm
AUS 4330808	NZ 4330808
	2 WAY ANGLED 2811B Colour: Grey Type: PVC Ø25mm
AUS 4330809	NZ 4330809

INSPECTION TEE

	INSPECTION TEE 2790B Colour: Grey Type: PVC Ø20mm
AUS 4330800	NZ 235125
	INSPECTION TEE 2791B Colour: Grey Type: PVC Ø25mm
AUS 4330801	NZ 235077
	INSPECTION TEE 2792B Colour: Grey Type: PVC Ø32mm
AUS 4330802	NZ 235041


CORRUGATED GLAND

	CONDUIT GLAND 2740B Type: PVC Ø20mm
AUS 4330875	NZ 4330875
	CONDUIT GLAND 2741B Type: PVC Ø25mm
AUS 4330876	NZ 4330876
	CONDUIT GLAND 2742B Type: PVC Ø32mm
AUS 4330877	NZ 4330877

COMMUNICATIONS


	RIGID CONDUIT 2637B Colour: White Length: 4.5m Internal Ø20mm
AUS 4330845	NZ N/A
	BEND 2754B Colour: White Type: PVC ANGLE: 90° Internal Ø20mm
AUS 4330878	NZ 4330878

COUPLING




COUPLING
2720B
Type: PVC
Ø20mm

AUS 4330872 NZ 235106




COUPLING
2721B
Type: PVC
Ø25mm

AUS 4330873 NZ 235056



COUPLING
2722B
Type: PVC
Ø32mm


AUS 4330874 NZ 237251



COUPLING
2720BT
Type: PVC
Pack of 40
Ø20mm


AUS 4331181 NZ 285962

REDUCER




REDUCER
2725B
Type: PVC
Pack of 2
Ø20mm - 16mm

AUS 4330834 NZ 4330834



REDUCER
2726B
Type: PVC
Pack of 2
Ø25mm - 20mm

AUS 4330835 NZ 235050



REDUCER
2727B
Type: PVC
Pack of 2
Ø32mm - 25mm

AUS 4330836 NZ 237248

CONDUIT CLIPS



MOUNTING CLIP
2675B
Type: PVC
Pack of 2
Ø20mm

AUS 4330822 NZ 235100



MOUNTING CLIP
2676B
Type: PVC
Pack of 2
Ø25mm

AUS 4330823 NZ 235047



MOUNTING CLIP
2677B
Type: PVC
Pack of 2
Ø32mm

AUS 4330824 NZ 237245

ADAPTOR WITH LOCKRING



ADAPTOR
2730B
Type: PVC
Plain to threaded
Ø20mm

AUS 4330865 NZ 4330865



ADAPTOR
2731B
Type: PVC
Plain to threaded
Ø25mm

AUS 4330866 NZ 4330866



ADAPTOR
2732B
Type: PVC
Plain to threaded
Ø32mm

AUS 4330867 NZ 4330867

LOCKRING




THREADED
2700B
Type: PVC
Ø20mm

AUS 4330868 NZ 235103



THREADED
2701B
Type: PVC
Ø25mm

AUS 4330869 NZ 235053



THREADED
2702B
Type: PVC
Ø32mm

AUS 4330870 NZ 235141

ADAPTABLE BOX



ADAPTABLE BOX 2840B

Colour: Grey
Type: PVC
Size: 108 x 108 x 76mm
IP66

AUS 4330859 NZ 4330859



ADAPTABLE BOX 2841B

Colour: Grey
Type: PVC
Size: 211 x 108 x 81mm
IP66

AUS 4330860 NZ 4330860

PLUG



CONDUIT PLUG 2710B

Type: PVC
Pack of 2
Ø20mm

AUS 4330832 NZ 4330832



CONDUIT PLUG 2711B

Type: PVC
Pack of 2
Ø25mm

AUS 4330833 NZ 4330833

SADDLES



FULL MOUNTING 2670B

Type: PVC
Pack of 2
Ø20mm

AUS 4330825 NZ 235097



FULL MOUNTING 2680B

Type: Zinc Plated
Ø20mm

AUS 4330828 NZ 237229



FULL MOUNTING 2681BT

Type: Zinc Plated
Pack of 50
Ø25mm

AUS 4331184 NZ 285953



HALF MOUNTING 2685BT

Type: Zinc Plated
Pack of 100
Ø20mm

AUS 4331179 NZ 285956



HALF MOUNTING 2687B

Type: Zinc Plated
Ø32mm

AUS 4330864 NZ 4330864



FULL MOUNTING 2671B

Type: PVC
Pack of 2
Ø25mm

AUS 4330826 NZ 235044



FULL MOUNTING 2680BT2

Type: Zinc Plated
Pack of 100
Ø20mm

AUS 4331183 NZ 285950



FULL MOUNTING 2682B

Type: Zinc Plated
Ø32mm

AUS 4330830 NZ 237237



HALF MOUNTING 2686B

Type: Zinc Plated
Ø25mm

AUS 4330862 NZ 4330862



FULL MOUNTING 2672B

Type: PVC
Pack of 2
Ø32mm

AUS 4330827 NZ 237240



FULL MOUNTING 2681B

Type: Zinc Plated
Ø25mm

AUS 4330829 NZ 237232



HALF MOUNTING 2685B

Type: Zinc Plated
Ø20mm

AUS 4330861 NZ 4330861



HALF MOUNTING 2686BT

Type: Zinc Plated
Pack of 50
Ø25mm

AUS 4331180 NZ 285959

EXTENSION LEADS



25M 1-TUFF STANDARD EXTENSION LEAD

DWL25



One outlet with illuminated ON/OFF switch
Plug and sockets rating 240V, 10A max
Cable rating 10A
Cable copper thickness 3x1.0mm²

AUS TBA NZ N/A



15M 2-TUFF HEAVY DUTY DUAL SOCKET EXTENSION LEAD

DYX15



Two outlets with illuminated ON/OFF switch
Plug and sockets rating 240V, 10A max
Cable copper thickness 3x1.0mm²

AUS 4420469 NZ N/A




10M 1-TUFF HEAVY DUTY EXTENSION LEAD

DYL10



One outlet with illuminated ON/OFF switch
Plug and sockets rating 240V, 10A max
Cable rating 10A
Cable copper thickness 3x1.0mm²

AUS TBA NZ N/A



25M 2-TUFF HEAVY DUTY DUAL SOCKET EXTENSION LEAD

DYX25



Two outlets with illuminated ON/OFF switch
Plug and sockets rating 240V, 10A max.
Cable copper thickness 3x1.0mm²

AUS 4420470 NZ N/A



20M 1-TUFF HEAVY DUTY EXTENSION LEAD

DYL20



One outlet with illuminated ON/OFF switch
Plug and sockets rating 240V, 10A max
Cable rating 10A
Cable copper thickness 3x1.0mm²

AUS TBA NZ N/A



20M 2-TUFF EXTRA HEAVY DUTY DUAL SOCKET EXTENSION LEAD

DRX20



Two outlets with illuminated ON/OFF switch
Plug and sockets rating 240V, 10A max.
Cable copper thickness 3x1.5mm²

AUS 4420471 NZ N/A



20M 1-TUFF EXTRA HEAVY DUTY EXTENSION LEAD

DRL20



One outlet with illuminated ON/OFF switch
Plug and sockets rating 240V, 10A max
Cable rating 10A
Cable copper thickness 3x1.5mm²

AUS TBA NZ N/A



30M 2-TUFF EXTRA HEAVY DUTY DUAL SOCKET EXTENSION LEAD

DRX30



Two outlets with illuminated ON/OFF switch
Plug and sockets rating 240V, 10A max
Cable copper thickness 3x1.5mm²

AUS 4420468 NZ N/A



30M 1-TUFF EXTRA HEAVY DUTY EXTENSION LEAD

DRL30



One outlet with illuminated ON/OFF switch
Plug and sockets rating 240V, 10A max
Cable rating 10A
Cable copper thickness 3x1.5mm²

AUS TBA NZ N/A

AIR MOVEMENT



HIGH CAPACITY CEILING EXHAUST FAN

DE125



AC induction motor rated
220 – 240Vac 50Hz 35W
Ø250mm
Incorporates draught stopper
750m³/hr

AUS 4441224 NZ N/A



250MM ENERGY EFFICIENT DC EXHAUST FAN

DE250



DC energy efficient motor rated
220 – 240Vac 50Hz 18W
Ø250mm
Incorporates draught stopper
360m³/hr

AUS 4420558 NZ N/A



SIDE DUCTED CEILING EXHAUST FAN

DE225



AC induction motor rated 220 –
240Vac 50Hz 35W
Ø250mm
Side duct entry
320m³/hr

AUS 4441225 NZ N/A



200MM BALL BEARING EXHAUST FAN

DEX200



AC ball bearing motor rated
220 – 240Vac 50Hz 28W
Ø200mm
320m³/hr

AUS 4442003 NZ N/A



SIDE DUCTED CEILING EXHAUST FAN WITH LIGHT

DE325



AC induction motor rated 220 –
240Vac 50Hz 35W
Ø250mm with 35W GU10 halogen
light attachment
Side duct entry
320m³/hr

AUS 4441226 NZ N/A



250MM BALL BEARING EXHAUST FAN

DEX250



AC ball bearing motor rated
220 – 240Vac 50Hz 38W
Ø250mm 430m³/hr

AUS 4442004 NZ N/A

LED BATTENS



22W SINGLE LED WEATHERPROOF INDUSTRIAL BATTEN

DET322

22W 2000lm integrated LEDs
5700K daylight
Robust polycarbonate base
and diffuser
IP65

AUS TBA NZ N/A



NEW



18W SINGLE T8 LED BATTEN WITH TRANSPARENT DIFFUSER

DET120

18W 1900lm T8 LED tube
5700K daylight
Clear prismatic diffuser
Powder coated steel body
In-built fuse

AUS 4371046 NZ N/A



NEW



40W TWIN LED WEATHERPROOF INDUSTRIAL BATTEN

DET340

40W 4000lm integrated LEDs
5700K daylight
Robust polycarbonate base
and diffuser
IP65

AUS TBA NZ N/A



NEW



36W TWIN T8 LED BATTEN WITH TRANSPARENT DIFFUSER

DET220

36W 3800lm T8 LED tube
5700K daylight
Clear prismatic diffuser
Powder coated steel body
In-built fuse

AUS 4371045 NZ N/A



NEW



18W SINGLE T8 LED WIRE CAGE BATTEN

DET120G

18W 1900lm T8 LED tube
5700K daylight
Steel cage batten
Powder coated steel body

AUS TBA NZ N/A



NEW



T8 LED TUBES TWIN PACK

DET018P2

T8 LED tubes
18W 1900lm 5700K Daylight white
Twin pack

AUS 4371449 NZ N/A



NEW



36W TWIN T8 LED WIRE CAGE BATTEN

DET220G

36W 3800lm twin T8 LED tube
5700K daylight
Steel cage batten
Powder coated steel body

AUS TBA NZ N/A



NEW

FLUORESCENT BATTENS



1 X 28W BARE BATTEN LIGHT
EL28 

T5 G5 base
Power factor corrected
Powder coated steel body
1 x 28W cool white
tri-phosphor tube included

AUS 4370919 NZ N/A



2 X 28W BARE BATTEN LIGHT
EL28T 

T5 G5 base
Power factor corrected
Powder coated steel body
2 x 28W cool white
tri-phosphor tubes included

AUS 4370921 NZ N/A



1 X 36W DIFFUSED BATTEN LIGHT
EL36D 

T8 fluorescent fitting
Prismatic diffuser
1 x 36W 4100K cool white 840
Tri-phosphor tube included

AUS 4370494 NZ 4370494






2 X 36W DIFFUSED BATTEN LIGHT
EL36TD 

T8 fluorescent fitting
Prismatic diffuser
2 x 36W 4100K cool white 840
Tri-phosphor tube included

AUS 4370495 NZ 4370495


SENSORS





COMPACT PIR MOVEMENT ACTIVATED SENSOR -BLACK 
DET101 

Sensor range: 12M*180°
Rated Load: Max.1200W
High impact UV stabilised plastic construction.
Wire type: 3 wire
LED compatible. IP65


AUS TBA NZ N/A





COMPACT PIR MOVEMENT ACTIVATED SENSOR-WHITE 
DET100 

Sensor range: 12M*180°
Rated Load: Max.1200W
High impact UV stabilised plastic construction.
Wire type: 3 wire
LED compatible. IP65


AUS TBA NZ N/A





360 DEGREE CEILING MICROWAVE MOVEMENT ACTIVATED SENSOR 
DET150 

Sensor range: 8M*180°
Rated Load: Max.1200W
High impact UV stabilised plastic construction.
Wire type: 3 wire
LED compatible. IP20

AUS TBA NZ N/A



360 DEGREE CEILING PIR MOVEMENT ACTIVATED SENSOR 
DET102 

Sensor range: 12M*180°
Rated Load: Max.1200W
High impact UV stabilised plastic construction.
Wire type: 3 wire
LED compatible. IP20

AUS TBA NZ N/A

MOVEMENT ACTIVATED FLOOD LIGHTS



100W SENSOR SECURITY FLOODLIGHT



DML021



100W G9 Bulb included
Sensor range: 12m x 180°
PC+Aluminum construction
Beam angle: 100°
IP44 Rated

AUS TBA NZ N/A



200W TWIN HEAD SENSOR SECURITY FLOOD LIGHT



DML022



2 x 100W G9 Bulbs included
Sensor range: 12m x 180°
PC+Aluminum construction
Beam angle: 100°
IP44 Rated

AUS TBA NZ N/A



10W LED SENSOR SECURITY FLOODLIGHT



DML431



10W,850lm LED Flood light
5700k Daylight
Sensor range: 12M*180°
PC+Aluminum construction
Beam angle: 100°
IP44 Rated

AUS TBA NZ N/A



20W LED TWIN HEAD SENSOR SECURITY FLOOD LIGHT



DML432



20W,1700lm LED Flood light
5700k Daylight
Sensor range: 12M*180°
PC+Aluminum construction
Beam angle: 100°
IP44 Rated

AUS TBA NZ N/A

FLOOD LIGHTS



100W SECURITY FLOOD LIGHT

DFL021

100W G9 Bulb included
PC+Aluminum construction
Beam angle: 100°
IP44 Rated

AUS TBA NZ N/A



10W SLIMLINE LED WALL LIGHT

FL810

10W 700Lm LED floodlight
5000K Daylight
100° Light angle
0.5m Cable
Aluminium body
Quick connect bracket
IP65 Rated

AUS 7071697 NZ N/A



200W TWIN HEAD SECURITY FLOODLIGHT

DFL022

2 x 100W G9 Bulbs included
PC+Aluminum construction
Beam angle: 100°
IP44 Rated

AUS TBA NZ N/A



20W SLIMLINE LED WALL LIGHT

FL820

20W 1500Lm LED floodlight
5000K Daylight
100° Light angle
0.5m Cable
Aluminium body
Quick connect bracket
IP65 Rated

AUS 7071699 NZ N/A



10W LED SECURITY FLOOD LIGHT

DFL431

10W,850lm LED Flood light
5700k Daylight
PC+Aluminum construction
Beam angle: 100°
IP44 Rated

AUS TBA NZ N/A



30W SLIMLINE LED WALL LIGHT

FL830

30W 2500Lm LED floodlight
5000K Daylight
100° Light angle
0.5m Cable
Aluminium body
Quick connect bracket
IP65 Rated

AUS 7071700 NZ N/A



20W LED SECURITY FLOOD LIGHT

























DFL432

20W,1700lm LED Flood light
5700k Daylight
PC+Aluminum construction
Beam angle: 100°
IP44 Rated

AUS TBA NZ N/A



DOWNLIGHTS

	7W DIMMABLE LED DOWNLIGHT KIT DET172 Warm white. Built-in driver with 1.2m lead & plug. Cut-out 70mm. IP20. Pack of 8. AUS 4390448 NZ N/A	500 LUMENS 
	7W DIMMABLE LED DOWNLIGHT KIT DET190 Warm white. Built-in driver with 1.2m lead & plug. Cut-out 70mm. IP20. AUS 4390445 NZ N/A	500 LUMENS 
	7W DIMMABLE LED DOWNLIGHT KIT DET192 Daylight. Built-in driver with 1.2m lead & plug. Cut-out 70mm. IP20. AUS 4390446 NZ N/A	550 LUMENS 
	9W DIMMABLE LED DOWNLIGHT KIT DET290 Warm white. Built-in driver with 1.2m lead & plug. Cut-out 92mm. IP20. AUS 4390442 NZ N/A	620 LUMENS 
	9W DIMMABLE LED DOWNLIGHT KIT DET292 Daylight. Built-in driver with 1.2m lead & plug. Cut-out 92mm. IP20. AUS 4390443 NZ N/A	680 LUMENS 
	12W DIMMABLE LED DOWNLIGHT KIT DET490 Warm white. Built-in driver with 1.2m lead & plug. Cut-out 92mm. IP20. AUS 4390429 NZ 4390429	850 LUMENS 
	12W DIMMABLE LED DOWNLIGHT KIT DET492 Daylight. Built-in driver with 1.2m lead & plug. Cut-out 92mm. IP20. AUS 4390430 NZ 4390430	950 LUMENS 
	12W DIMMABLE LED DOWNLIGHT KIT DET495 Warm white. Built-in driver with 1.2m lead & plug. Cut-out 92mm. IP20. Pack of 4. AUS 4390444 NZ N/A	850 LUMENS 
	7W DUAL COLOUR LED DOWNLIGHT KIT DET507 Dimmable. Switch between warm white & daylight. Built-in driver with 1.2m lead & plug. Cut-out 73mm. IP20. AUS 4371043 NZ N/A	500 LUMENS 550 
	9W DUAL COLOUR LED DOWNLIGHT KIT DET509 Dimmable. Switch between warm white & daylight. Built-in driver with 1.2m lead & plug. Cut-out 92mm. IP20. AUS 4371047 NZ N/A	620 LUMENS 680 
	12W DUAL COLOUR LED DOWNLIGHT KIT DET512 Dimmable. Switch between warm white & daylight. Built-in driver with 1.2m lead & plug. Cut-out 92mm. IP20. AUS 4371044 NZ 304536	850 LUMENS 950 
	12W DIMMABLE LED DOWNLIGHT KIT DET590P Warm white. LED driver with 1.2m lead & plug. Cut-out 76mm. IP44. Pack of 5. AUS 4331448 NZ N/A	750 LUMENS 

DOWNLIGHTS

	12W DIMMABLE LED DOWNLIGHT KIT DET591 Warm white. Brushed chrome finish. LED driver with 1.2m lead & plug. Cut-out 76mm. IP20. AUS 4390441 NZ 286040	750 LUMENS 		SURFACE MOUNTED DOWNLIGHT - BLACK DET060 Aluminium die-casting body, pc diffuser. 5W Beam Angle: 45°. IP20 AUS TBA NZ N/A	500 LUMENS 
	12W DIMMABLE LED DOWNLIGHT KIT DET592P Daylight. LED driver with 1.2m lead & plug. Cut-out 76mm. IP44. Pack of 5. AUS 4331449 NZ N/A	800 LUMENS 		SURFACE MOUNTED DOWNLIGHT STAINLESS STEEL DET061 Aluminium die-casting body, pc diffuser. 5W Beam Angle: 45°. IP20 AUS TBA NZ N/A	500 LUMENS 
	12W DIMMABLE LED DOWNLIGHT KIT DET593 Daylight. Brushed chrome finish. LED driver with 1.2m lead & plug. Cut-out 76mm. IP20. AUS N/A NZ 286037	800 LUMENS 		12W -4" WHITE LED DOWNLIGHT DET590 Warm white. LED driver with 1.2m lead & plug. Cut-out 76mm. IP44. AUS 4390425 NZ N/A	850 LUMENS 
	15W DIMMABLE LED DOWNLIGHT KIT DET660 Warm white. LED driver with 1.2m lead & plug. Cut-out 160mm. IP20. AUS 4370980 NZ 285831	1100 LUMENS 		12W -4" WHITE LED DOWNLIGHT DET592 Daylight LED driver with 1.2m lead & plug. Cut-out 76mm. IP44. AUS 4390424 NZ N/A	900 LUMENS 
	15W DIMMABLE LED DOWNLIGHT KIT DET662 Daylight. LED driver with 1.2m lead & plug. Cut-out 160mm. IP20. AUS N/A NZ 285836	1250 LUMENS 			
	18W DIMMABLE LED DOWNLIGHT KIT DET690 Warm white LED driver with 1.2m lead & plug. Cut-out 160mm. IP20. AUS N/A NZ 285839	1350 LUMENS 			
	18W DIMMABLE LED DOWNLIGHT KIT DET692 Daylight LED driver with 1.2m lead & plug. Cut-out 160mm. IP20. AUS N/A NZ 285842	1500 LUMENS 			

DETA

THE ELECTRICAL PRODUCTS COMPANY

- Market leading innovative products
- Manufactured using the highest quality materials
- Fully compliant with Australian & New Zealand Safety Standards

Facsimile

1300 360 650

Telephone

1800 826 859

New Zealand Toll Free

0800 003 329

Email

custservice@detaelectrical.com.au

Website

detaelectrical.com.au

X6 SERIES

S-LINE
SERIES

6000SERIES

3000SERIES